AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Cancelled)
- 2. (Currently amended) The vessel for multicomponent products of claim <u>33</u> [[1]], wherein the valve is provided on an outer surface of the container.
- 3. (Currently amended) The vessel for multicomponent products of claim 33 [[1]], wherein the valve is provided on an inner surface of the container.
- 4. (Previously presented) The vessel for multicomponent products of claim 2, wherein the upper part of the valve is made in the form of a neck.
 - 5. (Cancelled)
- 6. (Currently amended) The vessel for multicomponent products of claim <u>33</u> [[1]], wherein the guide members are formed by a part of the receptacle for the basic component or by the walls of the container and the valve.
- 7. (Currently amended) The vessel for multicomponent products of claim 33 [[1]], wherein the container is made as an independent structural element or as an element of the receptacle.
- 8. (Currently amended) The vessel for multicomponent products of claim 33 [[1]], wherein the valve is made either as an independent structural element, as an element of the receptacle, or as an element of the container.
 - 9. 11. (Cancelled)
 - 12. (Currently amended) The vessel for multicomponent products of claim 33 [[1]],

Application No. 10/595,588 Amendment Dated October 12, 2009 Reply to Office Action of June 12, 2009

wherein the cover is connected to the container or to the valve with the possibility of a detachable connection.

- 13. (Currently amended) The vessel for multicomponent products of claim 33 [[1]], wherein the cover is rigidly connected to the container or the valve.
- 14. (Currently amended) The vessel for multicomponent products of claim <u>33</u> [[1]], further comprising a resilient element for the interaction of the cover with the valve or the container.
- 15. (Previously presented) The vessel for multicomponent products of claim 12, wherein a cover interacts with the container or the valve by its inner part.
- 16. (Previously presented) The vessel for multicomponent products of claim 15, wherein the inside part of the cover is flat.
- 17. (Previously presented) The vessel for multicomponent products of claim 15, wherein the inside part of the cover has a coupling element.
- 18. (Previously presented) The vessel for multicomponent products of claim 17, wherein the coupling element is made in the form of a push bar, a toothed member, a hub, a cam, a clamp, or a plug connector.
- 19. (Previously presented) The vessel for multicomponent products of claim 12, wherein a coupling element is mounted on the container or on the valve.
- 20. (Previously presented) The vessel for multicomponent products of claim 19, wherein the coupling element is made in the form of a push bar, a toothed member, a hub, a cam, a clamp, or a plug connector.
- 21. (Previously presented) The vessel for multicomponent products of claim 13, wherein a removable cap is arranged on the cover.

Application No. 10/595,588 Amendment Dated October 12, 2009 Reply to Office Action of June 12, 2009

- 22. (Previously presented) The vessel for multicomponent products of claim 2, further including blades mounted on the inside part of the container and the valve.
- 23. (Previously presented) The vessel for multicomponent products of claim 3, wherein the upper part of the valve is made in the form of a neck.
 - 24. (Cancelled)
- 25. (Previously presented) The vessel for multicomponent products of claim 12, further comprising a resilient element for the interaction of the cover with the valve or the container.
- 26. (Previously presented) The vessel for multicomponent products of claim 13, further comprising a resilient element for the interaction of the cover with the valve or the container.
- 27. (Previously presented) The vessel for multicomponent products of claim 13, wherein a cover interacts with the container or the valve by its inner part.
- 28. (Previously presented) The vessel for multicomponent products of claim 13, wherein a coupling element is mounted on the container or on the valve.
- 29. (Previously presented) The vessel for multicomponent products of claim 3, further comprising blades mounted on the inside part of the container and the valve.
 - 30. 32. (Cancelled)
 - 33. (New) A vessel for multicomponent products comprising:
 - a receptacle for a basic component;
 - a cover in a detachable connection with the receptacle;
- a container for an introduced component, the container placed in an upper part of the receptacle, wherein the vessel has at least one channel for outputting an end product and the channel is located between the inner side of the receptacle and the outside of the container;

Application No. 10/595,588 Amendment Dated October 12, 2009 Reply to Office Action of June 12, 2009

at least one opening in the container;

a valve closing the opening of the container, wherein the container and the valve are slidably connected such that either the container or the valve or both can move along guide members and wherein the cover can interact with the container or the valve.

34. (New) The vessel for multicomponent products of claim 33, wherein the guide members are in a form of a ring, zigzag, spiral, or have a rectilinear form.